



“

PROTOCOL22-API

PROTOCOL22 API SSO OwnerKey MAIN APP GUEST APP API API API API.

OwnerKey?

PROTOCOL22-API API OwnerKey API API.

API OwnerKey APP main APP API DB API API KEY API.


API OwnerKey guest APP PROTOCOL22-API API API.

“


OwnerKey API

1. main app API dabory API API.

2. guest app API My App API API.




3. App Manager에 접속합니다.



4. app의 Owner key를 app에 등록합니다.

| <input type="checkbox"/> | No | App Name* | App Type | Client Id | Redirect URI | Created | Updated |
|--------------------------|----|-----------|----------|-----------|---------------------------|-------------------|-------------------|
| <input type="checkbox"/> | 1 | api_test | | | https://www.daborysso.com | 24-04-11 16:42:18 | 70-01-01 09:00:00 |

5. GuestApp을 생성합니다.



6. app의 client id를 등록합니다.

Generating GuestApp Ownery Key

Guest App Name* (ex:credit-strong-api-app)

OwnerCode*

AppType* (web, js, native-app)

□ Guest App Name : Owner Key□ □□

□ OwnerCode : Owner Key□ □□□

- owner : □□ api □□
- keypair :
- dbupdate :
- limited : □□ api□ □□

□ AppType : guest app□ type

7. Download .owner-key □□□ □□□□ Owner key□ download □□□.

8. MainApp □□ □□□ save □□□□□ □□□□□.

9. □□□ .owner-key□ □□□□ frontend □□□□□ open□□□.

10. .env □□□ MAIN_API_OWNER_KEY □□□ □□□□ □□□ owner key□ □□ □□□□□.

“

Protocol22-API □□

1. Javascript (js □□)

2. GO (webapp □□)

3. Laravel (webapp □□)

| | Javascript | WebApp |
|----------|---------------------------------|--------------------------|
| | ownerApp() | ownerApp(Laravel, Go) |
| | Guest APP API | api (Backend to Backend) |
| | \$.fn.ownerKeyLinker.ownerApp() | callOwnerApi() |
| OwnerKey | ownerKey | session |
| | OnwerKey API | GateToken API |
| | ownerKey (ownerKey) | ownerKey(ownerKey) |
| | <script> js ownerKey | Laravel, Go API |