



“

# PROTOCOL22-API

PROTOCOL22 API SSO OwnerKey MAIN APP GUEST APP API API API API.

## OwnerKey?

PROTOCOL22-API API OwnerKey API API.

API OwnerKey APP main APP API DB API API KEY API.


API OwnerKey guest APP PROTOCOL22-API API API.

“


# OwnerKey API

1. main app API dabory API API.

2. guest app API My App API API.




3. App Manager에 접속합니다.



4. app의 Owner key를 app에 등록합니다.

<input type="checkbox"/>	No	App Name*	App Type	Client Id	Redirect URI	Created	Updated
<input type="checkbox"/>	1	api_test			https://www.daborysso.com	24-04-11 16:42:18	70-01-01 09:00:00

5. GuestApp을 생성합니다.



6. app의 client id를 생성합니다.

## Generating GuestApp Ownery Key

Guest App Name\* (ex:credit-strong-api-app)

OwnerCode\*

AppType\* (web, js, native-app)

□ Guest App Name : Owner Key□ □□

□ OwnerCode : Owner Key□ □□□

- owner : □□ api □□
- keypair :
- dbupdate :
- limited : □□ api□ □□

□ AppType : guest app□ type

7. Download .owner-key □□□ □□□□ Owner key□ download □□□.

8. MainApp □□ □□□ save □□□□□ □□□□□.

9. □□□ .owner-key□ □□□□ frontend □□□□□ open□□□.

10. .env □□□ MAIN\_API\_OWNER\_KEY □□□ □□□□ □□□ owner key□ □□ □□□□□.

“

# Protocol22-API □□

1. Javascript (js □□)

2. GO (webapp □□)

3. Laravel (webapp □□)

	Javascript	WebApp
	ownerApp()	ownerApp(Laravel, Go)
	Guest APP API	api (Backend to Backend)
	\$.fn.ownerKeyLinker.ownerApp()	callOwnerApi()
OwnerKey	ownerKey	session
	OnwerKey API	GateToken API
	ownerKey (ownerKey)	ownerKey(ownerKey)
	<script> js ownerKey	Laravel, Go API