



- 



“



- 部署 Git Server 部署(部署)

“



部署 部署 部署 部署. 部署 部署 部署 部署 部署.

1. Ubuntu
2. Rocky Linux
3. CentOS 7

“

部署 部署(main\_api) 部署

1. 创建主用户。

2. 创建主用户并设置密码。

```
sudo useradd -m main_api  
sudo passwd 1234
```

3. 切换到主用户。

```
cd main_api
```

## (Updating...)

4. 安装 Weberg 并设置。

```
cd /home/main_api  
wget http://dbr02-wget.daboryhost.com/weberg-go-init-kit.tar.gz  
tar xvfz weberg-go-init-kit.tar.gz
```


5. 启动 Weberg 并设置。

```
cd /home/main_api/weberg-go  
port-grab-killer 18080  
redis-cli FLUSHALL  
./weberg-go &
```

## (Updating...)

4. 安装 git server 并设置。 (

5. HTTP url을 복사.



dabory / mybin

Watch 2 Star 0 Fork 0

파일 이슈 0 풀 리퀘스트 0 위키

설명 없음

437 커밋 1 브랜치 0 릴리즈

브랜치: master mybin

HTTP SSH http://git.daboryhost.com: Clone or download

6. git clone을 mybin에 복사.

```
git clone http://git.daboryhost.com:10880/dabory/mybin.git
```

7. mybin에 복사된 파일을 복사.

8. 복사된 파일을 main\_api에 복사.

```
init-weberp-go-install-in-main_api
```

이 파일을 main\_api에 복사.

\* 이 파일을 main\_api에 복사.

```
cd mybin
chmod +x init-weberp-go-install-in-main_api
```

이 main\_api 파일을 복사.

```
init-weberp-go-install-in-main_api
```

9. 복사된 파일을 main\_api에 복사.

(1). cache-key-pair

(2). weberp-go

### (3). weberp-queries

10. 

--	--	--

--	--	--	--	--	--	--	--

 . 

--	--	--


--	--	--

--	--	--	--	--	--	--	--

 .

without-update-weberp-go-run

```
=====
connStr: crystalfed_db:nb7X94raSds@tcp(report-seoul-a.daboryhost.com:3306)/crystalfed_db
2024/08/21 07:45:58 [OK]: Crystal Report DB successfully Connected !
2024/08/21 07:45:58 [Cnd]: ASDFQWERA @ MDB.View Error reading data: 1C15KDJ4bPL9zIRh4TnH * dial tcp [::1]:6379: connect: connection refused
2024/08/21 07:45:58 [Log]: QWFAECD @ GateToken Not Found in MemoryDB: 1C15KDJ4bPL9zIRh4TnH
2024/08/21 07:45:58 [Abango-OK]: Abango Clustered Framework Started !
2024/08/21 07:45:58 [OK]: PLAIN(HTTP) Mode Started !!

 v4.12.0
High performance, minimalist Go web framework
https://echo.labstack.com
    o/
   o\

- http server started on [::]:18080
```

11. 

--	--	--

--	--	--

--	--	--	--	--

--	--	--	--	--	--

.

- cache-key-pair
- wheberp-go
- weberp-queries
- mybin

- cache-key-pair?