6□. □□ □□□□□□

- theme □□ □□□□
- git □□□ Standard/theme □□ □□□
- theme □□ □ .env □□ □□□
- □□ □□ □□□□□□ □□
- □□□ □□□ □□□□ □□
- Api23KeyPair□ □□□ □□ □□□

theme □□ □□□□

> “
>
> □□□□ □□□□

□□□□

- Theme □□□ □□
- Docker□ □□□□

0. □□□□Docker□□□□□□□ □□□ □□□ □ □□□□□□ □□□□□□□ □□□□.

1. dabory/themes □□□□□ □□□□ □ themes □□□□□ □□□□□.

```
mkdir themes
cd themes
```

2. □□□ □□□ □□□□□ □□□ □□□□□□ □□ □□ □□□□□□□ □□□□□.

□□□□□ □□□ □□□ "point2u"□ □□□□□□□□.

point2u □□□□

3. □□□ □□□□□□ point2u □□□□□□□ □□□□□ HTTP url□ □□□□□□.



4. git clone[illegible] point2u [illegible] point2u [illegible].

```
git clone http://git.daboryhost.com:10880/dbrerp-themes/point2u.git

cd point2u
```

* [illegible] erp[illegible] pro [illegible]

- [illegible]

5. pro [illegible] erp[illegible] pro [illegible] resources[illegible].

[illegible] public [illegible]

[illegible] resources[illegible]. [illegible] public/ [illegible] dabory/themes[illegible]

[illegible].

[illegible] /themes/point2u/pro [illegible].

```
cd public
mkdir -p /themes/point2u/pro
```

6. [illegible] /themes/point2u/pro [illegible].

```
cd themes/point2u/pro
```

6. □□□ □□□ □□□□□□ □□□ □□□ □□□ □□□ □□□□□□□□.

ln -s [□□□ □□□]□□□□□□□□□ □□□ □□□ □ □ □□□□.

□□ □□□□ □□□□ □□□ □□□ □□□□□.

```
ln -s ../../../../dabory/themes/point2u/pro/resources resources
```

□□ □ □□□ □□□ □□□□□□ □□□ □□□□ css □ □□□ □□□□ □□□ □□□ □ □□□□.

7. □□□□ □□□□□□ □□□□□ □□□□ docker □□□ □□□□□□.

- docker □□□□

git [illegible] Standard/theme [illegible]

[illegible] : [illegible]

[illegible] PC[illegible] `cd php` [illegible]):

1. `cd $HOME/docker-works/php/` : [illegible] `docker-works/php/` [illegible].
2. `all-gitpp {website-alias}` : `all-gitpp` [illegible], [illegible] `{website-alias}` [illegible], [illegible] Git

[illegible] `cdz` [illegible] ([illegible]):

1. `cd /home` : [illegible] `/home` [illegible].
2. `all-gitpp-host {website-alias}` : `all-gitpp-host` [illegible] `all-gitpp` [illegible]. [illegible] `{website-alias}` [illegible] Git [illegible]
   [illegible].

[illegible]. [illegible] PC[illegible], [illegible]

theme □□ □ .env □□ □□□

Theme □□ : .env □□ □□□

□□□□ □□ □□□□ .env□□□ □□□□□.

.env□□□ DBR_THEME, PRO_THEME □□□ □□□ □□ □□□ □□□ □□□ □□ □□□□□.

(□□ □□□ □□ □□ □□□ □□ □□□ □□□□□ □□□.)

□□□ DBR_THEME□ □□□□ DBR_THEME □□□□ □□□□ □□□□.

□□ □□ □□□□□□ □□

pro □□ : □□□□ □□ □□□ □□ □□□ □ □□ □□□□ □□□□ □□ □□□ □□□ □□□

□□□ □□□□□□ □□ □□□ □□ pro □□□□ point2u□ □□□□.

□□ □□ □□□□□□ □□



point2u□ □□ □□□□ □□ ui, db□ □□ □□□□ □□ □□□ □□ □□ □□ □□□□□ □□□□□



□□ □□□□□□□ https://p2u.daboryhost.com/

point2u□ □□□ □□□□ □□□ □ □□□ □□, □□□□ □□ □□□□ □□□□□□□ □□□ □□□ pro □□□□□.

- pro point2u □□□□□□ □□

1. index □□□ □□

□□□ □□□ pro □□ □□□ best □□, □□ index □□, □□□□□□□, □□□□□ □□□ □ □□ □ □□□ □□□□□

```
"Book": [
    {
        "QueryVars": {
            "QueryName": "pro/widget-taxo",
            "SimpleFilter": "",
            "IsntPagination": true
        },
        "PageVars": {
            "Limit": 100000
        }
    },
    {
        "QueryVars": {
            "QueryName": "pro:shop/item-taxo",
            "SimpleFilter": "",
            "SubSimpleFilter": "image_type = 'thumb'",
            "IsntPagination": true
        },
```

```
            "PageVars": {
                "Limit": 100000
            }
        },
        {
            "QueryVars": {
                "QueryName": "pro:shop/item-taxo",
                "SimpleFilter": "",
                "SubSimpleFilter": "image_type = 'middle'",
                "IsntPagination": true
            },
            "PageVars": {
                "Limit": 100000
            }
        },
        {
            "QueryVars": {
                "QueryName": "pro:shop/item-badge-gallery",
                "SimpleFilter": "bad.lang_type = 'ko'",
                "IsntPagination": true
            },
            "ListType1Vars": {
                "OrderBy": "pro.seq_no asc"
            },
            "PageVars": {
                "Limit": 100000
            }
        },
        {
            "QueryVars": {
                "QueryName": "post/banner-input",
                "SimpleFilter": "(mx.post_type_id = 8 and mx.status = '0') and (DATE_FORMAT(now(),
'%Y-%m-%d') BETWEEN mx.pc6 AND mx.pc7)",
                "IsntPagination": true
            },
            "ListType1Vars": {
                "OrderBy": "mx.pc3 asc"
            },
            "PageVars": {
                "Limit": 100000
            }
        }
    ]
```


/list-type1/home-book □□□□□ □□

1. widget-taxo

2. item-taxo(thumb)
3. item-taxo(middle)
4. item-badge-gallery
5. banner-input

□ 5□□ □□□□□ □□□□ □□□ □□□□□.
□ 5□□ □□□□□ □□□□ □□ □□□□□ □□□, □□, □□ □□ □□□□ □□□ url □□ □□□□
□□ □□□□ index □□□□□ □□□ □ □□□□. □□ □□□□ db□□ □□□□ □□ □□□
□□□ □□□□ app□□ □□□ □□ □□□ □□□□ □□□□□.

component : views.shop.item-gallery

2. item □□ □□

point2u/list-type1-book url□ □□□ □□□□ □□□□□ □□□ □ □□□□. □□ item□ □□□□ code□ igroup_code□ □□□□ □□ □□□□□
□□ □□□□□ □□ □□□ □□□□□ □□□□ □□□□□□□ □ □□□□.
component : views.index

3. □□□ □□□□

point2u/item-details-book url□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□□□□ □□□ □ □□□□. □□□ □□□□□ □□□ □□□□ □□□ □□ □□□□ |

/item-details/{id}□ □□□ □□ □□□□ □□□ □□□□□.

component : views.shop.item-details

□□□...

[□□□□ □□□□ □□]

□□□ □□□ □□□□ □□

□□□□

- ussh□ □□ □□ □□□□

□□□ □□□□ □□□□ push□□□ □□□□ □□□□□ □□□□□□□□.

□□□ □□ □□□□ □□□ □□□ □ □□□□.

1. □□ □□□

2. □□□ □□ □□□□ □□□□□.

```
cd /home
all-gitpp-dbrerp □□□□
```

3. □□□ □□□□□ □□□

Api23KeyPair□ □□□ □□ □□□

API23JS□?

API23JS□GUEST □□□□ JavaScript□ HOST □□□□ API HOST □□□□□, □□□□ □□□□ □□□□ GUEST□ □□□□□□□□□□□□□□.

□□ □□ □□□□□ □□□ □□ □□□□ □□□□□□□.

- **HOST**: `opticalpos`
- **GUEST**: `eyemsg`

HOST □□□□

1. HOST□ □ □□□□ □□□□□□ □□□□□.

* □□□□□ □□□□ □□□ □ □□□□.

2. Api23 KeyPair Encrypted □□□ □□□□□.

		N...	C1:설정이름	C2:설정코드	C3:...	C4:브랜드코드
○	☐	99	Api23 KeyPair Encrypted	api23e-key-pair	0	
○	☐	98	브랜딩 이미지(로고/파비콘등)	brand-image	0	common
○	☐	97	Media-AWS-S3 설정	cdn-aws-s3	0	
○	☐	96	컨택트폼-메인	contact-us	0	main
○	☐	95	컨택트폼-서브1	contact-us	0	sub1
○	☐	94	컨택트폼-메인-한글	contact-us	0	main
○	☐	93	컨택트폼-메인-영어	contact-us	0	main
○	☐	92	우체국택배	courier	0	epost
○	☐	91	dbconv-default	dbconv-default	0	
○	☐	90	소숫점 자리 설정	decimal-point	0	
○	☐	89	휴면계정관리	dormant-default	0	
○	☐	88	메일/문자전송 헤더푸터	email-header-footer	0	
○	☐	87	회원가입 통보메일 템플릿-1	email-template	0	signup-confirm-1
○	☐	86	회원탈퇴 통보 메일 템플릿-1	email-template	0	withdraw-inform-1
○	☐	85	휴면회원 통보 메일 템플릿-1	email-template	0	dormant-inform-1

3. ①, ②□ □□□□ □□□□ Api23eKeyPair□ □□□□□.



4. □□□□ □□□□ HOST(□□□□□ opticalpos)□ .env□□□ □□□□□.



4-1. □□ command□□ vi □□□□ □□ .env □□□ □□□□□.

5. env□□□ API23E_KEY_PAIR □□□□ Api23 KeyPair Encrypted □□□□ □□□ Api23eKeyPair □□ □□□□□□.

```
IS_SKIP_DBUPDATE=9
IS_ON_MEMBER_SIGNUP=0
API23E_KEY_PAIR=BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd75YBmVQ1N4225h//xFZTiCzDj8
JI9bF9dUQFMGTYtcEwvjhR1ESO83JmfKlZVlDYrtRK4ZnvfbACakkcK1iRA6c98vOm8WWdp6HIzI9j6ApQTqUeHEBA7UxewBj
TJRQ==
```

6. □□□□□□ myapp API23-Apps□ □□□□□.

7. □□□ □□ □□□□ □□□ □□□□□.



8. □□□ □□ SSO App□ Api23 Keys□ □□□ □ □□ □□□□ □□□□.

App Type : App□ □□□ □□□□□. js□ □□ □□□ □□□□ □□□ □ □□ □□□ js□ □□□□□.

Sort : □□ □□□ □□□ □□□□. CRM□ □□□□ □□ □□□ □□ CRM□ KingkongCrm□ □□□□□□.

OriginUrl : geust□ □□□ url□ □□□□.

9. Generate New Api23 Keys □□ Api23Key □□□ (□□ HOST Api□□. □□□□ □□□ □□□□.)

10. Save □□□ □□□ □□□ □□□ □□□ □□□□.

GUEST □□□□

1. **HOST** □□ API23eKeyPair □□ HOST□ □□□□ GUEST□ □□□□ □□□□□□.

* 'api23key'□□ □□□ 'API23eKeyPair'□□ □□□□□.



2. □□ **GUEST** □□□□ FrontEnd(dbrerp)□□ HOST□ API□ □□□□ view □□□□ □□□□.

□□□□ eyemsg□ right.blade.php □□□ □□□ □□ script□ □□□□□□.

```
<script src="/js/dabory.data-
linker.js?serverUrl=https://opticalpos.daboryhost.com&api23Key=Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ
5C3PCUuPK0oRxAVAclS5/I6Zs4cO1Czr8DDrR2LNw/uJpwmzibLTYvsH54ThO5lVLs8ifHllF0fenDeHGL1R6Tuv+KJMQ
GQGt//HhRLrNKRyrXsx2wN1ZSUtPrpkvEQLC+DE/O0xPxYqBXqM80EaRJ+K1qrTQFkVKMwcTEv"></script>
```

□ script□ src □□□□ dabory.data-linker.js□ ServerUrl□ HOST □□□□ opticalpos url□ □□ api23Key□ **HOST** □□ Api23Key□ □□□□

* dabory.data-linker.js□ GUEST□□ HOST□ □□□ □ □□□ □□□ □□□ □□□ □□□□.

dabory.data-linker.js □□□□

```
<script src="/js/dabory.data-
linker.js?serverUrl=https://opticalpos.daboryhost.com&api23Key=Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ
5C3PCUuPK0oRxAVAclS5/I6Zs4cO1Czr8DDrR2LNw/uJpwmzibLTYvsH54ThO5lVLs8ifHllF0fenDeHGL1R6Tuv+KJMQ
GQGt//HhRLrNKRyrXsx2wN1ZSUtPrpkvEQLC+DE/O0xPxYqBXqM80EaRJ+K1qrTQFkVKMwcTEv"></script>
    <script>
        $('#open-signup-popup').on('click', function () {
```

```
        if (! window.passwdPolicy) {
            $.fn.dataLinker.api23Js('setup-get', {
                'SetupCode': 'passwd-policy',
                'BrandCode': 'member'
            }, function (response) {
                window.passwdPolicy = response
                $('#policy-desc-em').text(window.passwdPolicy['PolicyDesc'])
                // console.log(window.passwdPolicy)
                $('#join').modal('show');
            })
        } else {
            $('#join').modal('show');
        }
    });
</script>
```

1□ □ :
- `dabory.data-linker.js` □□□ `serverUrl` □ `api23Key` □□□□□ □□ API □□□ □□□ □□□ □□ □□ □□□□□.

5□□ :

- window.passwdPolicy□ □□ `dabory.data-linker.js` □ `api23Js` □ `setup-get` HOST□ API□ □□□□□.
- □□ □ `SetupCode` □ `BrandCode`)□ GUEST□ □□□□ API□□ □□□ □□□□ □□ □□□ □□□□□.

□□□ API23JS□ HOST□ GUEST□□ □□□ □□□ □□□ □□□□ □□□.

- **HOST□ API23E_KEY_PAIR□ □□□□ API23_KEY□□□** □□□□□.
- GUEST□ **API23_KEY□ □□□ HOST API□□□□□□□□□** □□□□□.
  □□ □□ HOST□ API □□□□ GUEST □□□□□ □□□□□ □□□ □ □□□□.