

.env 파일

“

.env 파일



Laravel .env <https://laravel.kr/docs/5.7/configuration>)

Laravel .env Example(https://zetawiki.com/wiki/.env,_env.example)

```
# [Dabory]
ERP_THEMES=테마 이름 (themes/erp 이름)
PRO_THEME=PRO 테마 이름 (themes/pro 이름)
LOCALE_SEQUENCE=언어 순서
APP_MOBILE_NO=앱 번호
TAG_LINE=태그
CDN_TYPE=CDN (aws-s3 or local)
MEDIA_URL=미디어 base url (local or a3)
FAVICON_PATH=favicon path
IS_SKIP_DBUPDATE=DBUPDATE or
IS_ON_MEMBER_SIGNUP=회원가입

## [MetaMask]
CHAIN_ID=0xE67B
CHAIN_NAME='Dang Smart Chain'
RPC_URLS=http://3.38.62.211:8545
NATIVE_CURRENCY_NAME=DGT
NATIVE_CURRENCY_SYMBOL=DGT
NATIVE_CURRENCY_DECIMALS=18
BLOCK_EXPLORER_URLS=https://explorer-staging.dangnn.co.kr
```

[asset & cache]

BROWSER_CACHE= (false)

CSSJS_URL=local or asset url (local)

[Printer]

REPORT_SERVER_URL= base url

[Laravel]

APP_NAME=

APP_ENV=.env

APP_KEY=base64:.env

APP_DEBUG=.env

APP_URL=url

LOG_CHANNEL=stack

LOG_LEVEL=debug

DB_CONNECTION=x

DB_HOST=x

DB_PORT=x

DB_DATABASE=x

DB_USERNAME=x

DB_PASSWORD=x

BROADCAST_DRIVER=x

CACHE_DRIVER=x

FILESYSTEM_DRIVER=x

QUEUE_CONNECTION=x

SESSION_DRIVER=x

SESSION_LIFETIME=x

MEMCACHED_HOST=x

REDIS_HOST=x

REDIS_PASSWORD=x

REDIS_PORT=x

MAIL_MAILER=.env

MAIL_HOST=.env

MAIL_PORT=.env

MAIL_USERNAME=.env

MAIL_PASSWORD=.env

MAIL_ENCRYPTION=.env

MAIL_FROM_ADDRESS=.env

MAIL_FROM_NAME=.env

AWS_ACCESS_KEY_ID=.env

AWS_SECRET_ACCESS_KEY=.env

AWS_DEFAULT_REGION=.env

AWS_BUCKET=.env

AWS_USE_PATH_STYLE_ENDPOINT=.env ☐ ☐ ☐

PUSHER_APP_ID=x
PUSHER_APP_KEY=x
PUSHER_APP_SECRET=x
PUSHER_APP_CLUSTER=x

MIX_PUSHER_APP_KEY=x
MIX_PUSHER_APP_CLUSTER=x

ANALYTICS_UA_ID=
ANALYTICS_VIEW_ID=

ANALYTICS_G_ID=
ANALYTICS_PROPERTY_ID=

Revision #6
Created 26 February 2024 09:31:00 by Admin
Updated 20 August 2024 01:08:14 by