

# Production DB .env.dabor

“

# .env.dabory

## 1. API

.env.dabory ☐ ☐ API ☐ ☐ ☐ ☐ ☐.

API  DB      .

2. ☐☐☐☐☐☐ ☐☐☐ ☐☐ ☐☐

`.env.dabory` `000` `00` `0000` Sodium `000000` `00` `0000` `000` `00000`.

API, , .

### 3. env.dabory □ □ □ □

- \*\_API\_URL : API URL
- \*\_API\_CLIENT\_ID : API ID.
- \*\_API\_CLIENT\_SECRET : API Secret.
- \*\_API\_BEFORE\_BASE64 : API Base64

## .env.dabory

2. 

--	--

--	--

--	--	--	--

--	--


--	--

--	--	--	--	--	--

.



5. ☐ ☐ App Manager ☐ ☐.



## 7. API Key 생성 및 DB 정보 입력.

SSO App input/Update/Delete

Save

Api Keys

App Type\*

Web App

App Name\*

eyemsg

Redirect URI or App Domain URL (without SSO function)\*

https://eyemsg.daboryhost.com/social/member-dabory/callback

Client ID

x3WgXUgHLI\$KZMMZOI

Client Secret

TfMgXBgdB\$0Chg4VP8

Generate New Keys

Extract Keys from the Existing Keys

Public Key

GEm3+lrbsUGR2SFo6g1iZfHltBZLagiSmmX9Yj/l9Es=

Keypair

Information to create .env.dabory (You should TEST DB Conn with srdbm2 before this procedure)

API Host:Port\* ex) http://13.124.2.254:18080 (Do NOT OMIT 'http://' )

http://13.124.2.254:18080(개발서버)

DB Host:Port\* ex) localhost:3306 or 13.124.2.254:3306 (do NOT ADD http:// )

localhost:3306

DB User\*

mydb

DB Name\*

eyemsg

DB Password\*

1234

Create and Download .env.dabory file => !! Make sure Save after Creation

1. generate new keys
2. db 정보 입력
3. .env.dabory 파일 생성

API Host:Port : http://13.124.2.254:18080

13.124.2.254:3306 mydb

### Api Keys

App Type : Web App

App Name: eyemsg

Redirect URI or App Domain URL(without SSO function)\* :

dabory sso callback url https://eyemsg.daboryhost.com/social/member-dabory/callback

Client ID: x3WgXUgHLI\$KZMMZOI

Client Secret : TfMgXBgdB\$0Chg4VP8

Public Key : [Generate New Keys](#) `[[ [key] [pubkey]`.

Keypair : [Generate New Keys](#) `[[ [key] [secretkey]`.

Information to create .env.dabory (You should TEST DB Conn with srdbm2 before this procedure)

API HOST:Port : select `[[ [url] [port]`.

DB Host:Port : `[[ db host] [port]`.

DB User : db user `[[ [username]`.


DB Name : db `[name] [database]`.

DB Password : db `[password] [password]`.

`[[ [url] [port]` Create and Download .env.dabory file => Make sure Save after Creation `[[ [url] [port]`.


\* db `[[ [url] [port]`.


8. .env.dabory `[[ [url] [port]`.



9. `[[ [url] [port]` `[[ [url] [port]` `[[ [url] [port]`.


10. `[[ [url] [port]` .env.dabory `[[ [url] [port]`.





11. `.env.dabory` 文件 内容。

`.env.dabory` 文件 内容 如下 所示。



- App Mannager 文件 app 文件 内容 如下 所示。
- 文件 内容 如下 所示。