

| 1. □□□ |
|---|
| 1. [] [] [] |
| Windows [] (core.autocrlf true] []. |
| []true[] [], Git [] [] [] [CRLF [] [] [] []. |
| core.autocrlf |
| git configget core.autocrlf |
| 2. [] [] [] |
| [core.autocrlf [true]]] ,]]]]]]]]]]]]] ; |
| git configglobal core.autocrlf input |
| ☐ ☐ Git ☐ Push☐ ☐ LF☐ CRLF☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ |
| 3. Push □ □ □ |
| Push [] [] [] [] [] [] [] [] [] [|
| dabory git repository push window git core.autocrlf true . |
| ☐ true☐ ☐ ☐ git server☐ ☐ ☐ ☐ CRLF☐ ☐ ☐ ☐. |
| git configget core.autocrlf |
| |

| □ git server push LF -> CRLF | |
|------------------------------------|--|
| push [] [] [] [] push [] []. | |
| | |
| | |
| | |
| | |

Revision #7
Created 10 June 2024 02:11:23 by ____
Updated 14 October 2024 05:55:59 by ____

git config --global core.autocrlf input