

# 4. Parameter

- `type` `name` `value`
- `ListType1` `name` `value`
- `name` `value` `head/body`

□□□ □□□□□ □□

“

□□□ □□□□

□□ □□□□ □□□□□□□□□□ □□□□□□□□□□□□ □□□□.

□□□□ □□ □ □□□

```
{
  "General": {
    "Title": "□□□□",
    "PickApi": "slip-form-book",
    "ActApi": "company-act"
  },

  "QueryVars": {
    "QueryName": "pos/customer"
  },

  "SelectButtonOptions": [
    {
      "Value": "new",
      "Caption": "□ □□"
    },
    {
      "Value": "del",
      "Caption": "□□ □□"
    },
    {
      "Value": "copy",
      "Caption": "□□□ □□"
    }
  ],
```

```
{
  "Value": "rpt-print-pdf",
  "Caption": "PDF(pdf)"
},
{
  "Value": "rpt-print-paper",
  "Caption": "PDF(紙)"
}
],
```

```
//FormVars: "ListVars[0]-Caption",
"FormVars": [
  {
    "SaveButton": "保存",
    "CompanyName": "会社名(必須)*",
    "MainContact": "担当者* / 部署",
    "MobileNo": "携帯番号*",
    "TelNo": "電話番号",
    "BirthDate": "生年月日*",
    "Email": "Eメール*",
    "CgroupId": "グループ*",
    "ZipCode": "郵便番号*",
    "Addr1": "住所*",
    "Addr2": "住所",
    "IsOkText": "同意",
    "IsOkEmail": "Eメール同意",
    "IsOkDm": "DM同意",
    "Remarks": "備考",
    "UserCredit": "信用",
    "CurrUserCredit": "現在信用",
    "AvailUserCredit": "利用可能信用(利用可能)"
  },
  {
    "SaveButton": "",
    "CompanyName": "left",
    "MainContact": "left",
    "MobileNo": "left",
    "TelNo": "left",
    "BirthDate": "left",
    "Email": "left",
```

```
"CgroupId": "left",
"ZipCode": "left",
"Addr1": "left",
"Addr2": "left",
"IsOkText": "left",
"IsOkEmail": "left",
"IsOkDm": "left",
"Remarks": "left",
"UserCredit": "left",
"CurrUserCredit": "left",
"AvailUserCredit": "left"
```

```
},
```

```
{
```

```
"SaveButton": "0",
"CompanyName": "20",
"MainContact": "20",
"MobileNo": "20",
"TelNo": "20",
"BirthDate": "20",
"Email": "20",
"CgroupId": "20",
"ZipCode": "20",
"Addr1": "20",
"Addr2": "100",
"IsOkText": "20",
"IsOkEmail": "20",
"IsOkDm": "20",
"Remarks": "",
"UserCredit": "20",
"CurrUserCredit": "20",
"AvailUserCredit": "20"
```

```
},
```

```
{
```

```
"SaveButton": "",
"CompanyName": "required",
"MainContact": "required",
"MobileNo": "required",
"TelNo": "",
"BirthDate": "required",
"Email": "required",
"CgroupId": "required",
```

```

        "ZipCode": "required",
        "Addr1": "required",
        "Addr2": "",
        "IsOkText": "",
        "IsOkEmail": "",
        "IsOkDm": "",
        "Remarks": "",
        "UserCredit": "",
        "CurrUserCredit": "",
        "AvailUserCredit": ""
    }
}
}

```

```

['General']['Title'] : view page  标题
['General']['PickApi'] : view page  选择 api  接口 pick-api
['QueryVars']['QueryName'] : api  接口 api  接口 query

```

```

let response = await call_slip_form_book(formA['General']['PickApi'], formA['QueryVars']['QueryName'],
    customer_name, {!! json_encode($menuCode) !!});

```

```

['SelectButtonOptions']['Value'] : view page  选择 按钮 javascript  value  值  选择 按钮

```

```

$('.customer-eyetest-act').on('click', function () {
    // console.log($(this).data('value'))
    switch( $(this).data('value') ) {
        case 'save': customer_eyetest_btn_act_save(); break;
        case 'new': atype_custom_btn_act_new(); break;
        case 'copy': customer_eyetest_btn_act_copy(); break;
        case 'del': customer_eyetest_btn_act_del(); break;
        case 'rpt-print-pdf': Stype.rpt_print('#customer-eyetest .frm'); break;
        case 'rpt-print-paper': print_test(); break;
    }
});

```

```

['SelectButtonOptions']['Caption'] : button  按钮 text  文本  选择 按钮

```

```

<ul class="dropdown-menu dropdown-menu-right" role="menu">
    @foreach ($formA['SelectButtonOptions'] as $key => $btn)
        <li class="dropdown-item">` {{ $btn['Caption'] }} `</li>
    @endforeach
</ul>

```

```

['FormVars'][0] : label, input  输入
['FormVars'][1] : label, input css  输入

```

['FormVars'][2] : label, input   maxlength   

['FormVars'][2] : label, input           

```
<div class="form-group w-100 d-flex flex-column" style="width: 143px">
  <label class="m-0 overflow-hidden text-nowrap">{{ $formA['FormVars']['Title']['CompanyName'] }}</label>
  <div class="col-12 d-flex p-0">
    <input type="text" class="auto-slip-no-txt rounded w-100 radius-l0" autocomplete="off" disabled
      maxlength="{{ $formA['FormVars']['MaxLength']['CompanyName'] }}"
      {{ $formA['FormVars']['Required']['CompanyName'] }}>
  </div>
</div>
```

```
{
  "General": {
    "Title": "     ",
    "PageApi": "item-search-page"
  },

  "QueryVars": {
    "QueryName": "master/item",
    "FilterName": "is_material",
    "FilterValue": "0"
  },

  "//FormVars": "ListVars[0]-Caption, ListVars[0]-format",
  "FormVars": [
    {
      "SelectButton": "",
      "ItemCode": "           ",
      "ItemName": "  ",
      "SubName": "     ",
      "CountUnit": "           ",
      "CurrStockQty": "        ",
      "PurchPrc": "                 ",
      "SalesPrc": "                 ",
      "ItemDesc": "           "
    }
  ]
}
```

```

        "FilterOption": "□□□□",
        "SimpleOption": "□□□ □□"
    },
    {
        "SelectButton": "left",
        "ItemCode": "left",
        "ItemName": "left",
        "SubName": "left",
        "CountUnit": "left",
        "CurrStockQty": "decimal('stock_qty')",
        "PurchPrc": "decimal('purch_prc')",
        "SalesPrc": "decimal('sales_prc')",
        "ItemDesc": "left",
        "FilterOption": "left",
        "SimpleOption": "left"
    }
],

"// OrderByOptions": "OrderBy Options//□□□ Value□ Default, □□(Required)",
"OrderByOptions": [
    {
        "Value": "item_code asc",
        "Caption": "□□□□ □□"
    },
    {
        "Value": "item_name asc",
        "Caption": "□□ □□"
    },
    {
        "Value": "sub_name asc",
        "Caption": "□□□ □□"
    }
],

"FilterSelectOptions": [
    {
        "Value": "",
        "Caption": "□□ □□"
    }
]

```

```

    },
    {
        "Value": "mx.item_code",
        "Caption": "□□□□"
    },
    {
        "Value": "mx.item_name",
        "Caption": "□□"
    },
    {
        "Value": "mx.sub_name",
        "Caption": "□□□"
    }
},
],

```

```

"SimpleSelectOptions": [
    {
        "Value": "mx.expose_type='0'",
        "Caption": "□□□ □□"
    },
    {
        "Value": "mx.expose_type='1'",
        "Caption": "□□□ □□"
    },
    {
        "Value": "mx.expose_type='2'",
        "Caption": "□□□□ □□"
    },
    {
        "Value": "",
        "Caption": "□□"
    }
],

```

```

"// ListVars": "ListVars[0]-caption, ListVars[1]-size(%), ListVars[2]-align",
"// Price": "Prices show with comma and truncate numbers under decimal !!",
"ListVars": [
    {
        "$Radio": "$Radio",

```



```
"$Check": "",
"No": "□□",
"ItemCode": "□□ □□",
"ItemName": "□□",
"SubName": "□□□",
"IgroupName": "□□□□",
"SalesPrc": "□□□",
"PurchPrc": "□□□",
"MoreInfo": "□□□□"
},
{
"$Radio": "3",
"$Check": "3",
"No": "10",
"ItemCode": "15",
"ItemName": "12",
"SubName": "12",
"IgroupName": "13",
"SalesPrc": "10",
"PurchPrc": "10",
"MoreInfo": "10"
},
{
"$Radio": "center",
"$Check": "center",
"No": "center",
"ItemCode": "left",
"ItemName": "left",
"SubName": "left",
"IgroupName": "left",
"SalesPrc": "decimal('sales_qty')",
"PurchPrc": "decimal('purch_prc')",
"MoreInfo": "left"
}
]
}
```

# ListType1

“  
ListType1

ListType1은 여러 개의 List를 포함한다. 이 List는 다음과 같다.

## ListType1

1. view page

< 일자방향(오늘) >

☒ 일 ☐ 주 ☐ 월 ☐ 분기 ☐ 년 ☐ 전체

검색조건

=검색 조건=

상태별 검색

온라인 게시

	번호	품목코드	품명	서브명	품목구분	매출가	매입가	단위	공급사(입점사)	온라인누락
<input type="checkbox"/>	83094	001frametest	프레임테스트001		뷰티	15,000	15,000	개	(주)마노모스	
<input type="checkbox"/>	83093	1CM20R502test	test렌즈		미스트와 마스크팩	1	0	1	unlinked	
<input type="checkbox"/>	83092	1CM20R56	[국산렌즈 케이 - 단초점] 매직폼 싱글 1.56 개인맞춤		스킨케어	260,000	0	1	unlinked	
<input type="checkbox"/>	83091	1CM20R60	[국산렌즈 케이 - 단초점] 매직폼 싱글 1.60 개인맞춤		스킨케어	320,000	0	1	unlinked	
<input type="checkbox"/>	83090	1CM20R67	[국산렌즈 케이 - 단초점] 매직폼 싱글 1.67 개인맞춤		스킨케어	420,000	0	1	unlinked	
<input type="checkbox"/>	83089	1CM20R74	[국산렌즈 케이 - 단초점] 매직폼 싱글 1.74 개인맞춤		스킨케어	590,000	0	1	unlinked	
<input type="checkbox"/>	83088	1CMOP003	■케이■ GEN 8		스킨케어	150,000	0	1	unlinked	
<input type="checkbox"/>	83087	1CMOP005	■케이■ PHOTO AID		스킨케어	100,000	0	1	unlinked	
<input type="checkbox"/>	83086	1CMOP007	■케이■ IR 코팅		스킨케어	30,000	0	1	unlinked	
<input type="checkbox"/>	83085	1CMOP009	■케이■ 이자스 코팅 [+3]		스킨케어	30,000	0	1	unlinked	
<input type="checkbox"/>	83084	1CMOP010	■케이■ 착색		스킨케어	20,000	0	1	unlinked	
<input type="checkbox"/>	83083	1TN08R74	[토니모리 - 사무용] TONY-OFFICE FIT 1.74 [RX]		스킨케어	170,000	170,000	EA	unlinked	
<input type="checkbox"/>	83082	1ZE08R50	[수입렌즈 자이스 - 누진] 초이스 1.50		스킨케어	200,000	0	1	unlinked	
<input type="checkbox"/>	83081	1ZE08R50-copy	[수입렌즈 자이스 - 누진] 초이스 1.50		스킨케어	200,000	0	1	unlinked	
<input type="checkbox"/>	83080	1ZE08R60	[수입렌즈 자이스 - 누진] 초이스 1.60		스킨케어	290,000	0	1	unlinked	

이 List는 여러 개의 List를 포함한다. 이 List는 다음과 같다.

2. para

```
{  
  "list-type-1": "simple and plain list by query of table join",  
  
  "General": {
```



```
{
  "ListButton": "□□",
  "DateRange": "",
  "DateNavi": "□□□□(□□)",
  "Date": "",
  "From": "□□",
  "To": "□□",
  "FirstRange": "",
  "SecondRange": "",
  "ThirdRange": "",
  "FourthRange": "",
  "AddTotalLine": "",
  "SelectPopup": "",
  "MultiPopup": "",
  "ChartPopup": "",
  "DownloadList": "",
  "ShowOnlyClosed": "",
  "Balance": "",
  "OrderBy": "□□ □□",
  "FilterOption": "□□□□",
  "SimpleOption": "□□□ □□"
}
],
```

```
"FilterSelectOptions": [
  {
    "Value": "",
    "Caption": "□□□□□□□□□□"
  },
  {
    "Value": "mx.item_code",
    "Caption": "□□□□□"
  },
  {
    "Value": "mx.item_name",
    "Caption": "□□□"
  },
  {
    "Value": "mx.sub_name",
    "Caption": "□□□□"
  }
]
```

```
],
```

```
"SimpleSelectOptions": [
```

```
{
```

```
  "Value": "mx.expose_type='0'",
```

```
  "Caption": "〇〇〇 〇〇"
```

```
},
```

```
{
```

```
  "Value": "mx.expose_type='1'",
```

```
  "Caption": "〇〇〇 〇〇"
```

```
},
```

```
{
```

```
  "Value": "",
```

```
  "Caption": "〇〇"
```

```
}
```

```
],
```

```
"//ListType1RangeVars": "[0]-filter, [1]-component, [2]-parameter",
```

```
"ListType1RangeVars": [
```

```
{
```

```
  "FirstRange": "",
```

```
  "SecondRange": "",
```

```
  "ThirdRange": "",
```

```
  "FourthRange": ""
```

```
},
```

```
{
```

```
  "FirstRange": "",
```

```
  "SecondRange": "",
```

```
  "ThirdRange": "",
```

```
  "FourthRange": ""
```

```
},
```

```
{
```

```
  "FirstRange": "",
```

```
  "SecondRange": "",
```

```
  "ThirdRange": "",
```

```
  "FourthRange": ""
```

```
}
```

```
],
```

```
"// DateRangeOptions": "□:□□□□ 1~30, □□: □□□□ □□ 1□ ~ □□□□ □□, □□/□ □□ □□,□□:1990~3000",
```

```
"DateRangeOptions": [
```

],

"DateNaviOptions": [

{

"Value": "day",

"Caption": "□"

},

{

"Value": "week",

"Caption": "□"

},

{

"Value": "month",

"Caption": "□"

},

{

"Value": "quarterly",

"Caption": "□□"

},

{

"Value": "year",

"Caption": "□"

},

{

"Value": "all",

"Caption": "□□"

}

],

"SelectPopupOptions": [

{

"Caption": "□□ □□/□□/□□",

"Component": "popup-form1.form-a.item-form",

"Parameter": "/popup/popup-form1/form-a/item"

}

],

"SelectLinkedPopupOptions":[

{

"Caption": "□□ □□/□□/□□",

"Linked": "/dabory/erp/master-data/item-

tabbed?bpa=eyJtZW51X25hbWUiOiJ0ZXN0LWI0ZW0tdGFiYmVkliwibWVudV9jb2RlIjoOTMwMDAwliwiZGlzYWJsZV

9sX21lbnUiOilwliwiZW5hYmxlX3JfbWVudSI6IjAiLCJwZXJtaXNzaW9uljp7lmlzX215bWVudSI6IjAiLCJpc19saXN0IjoiMS  
lslmlzX3JlYWQiOilxliwiaXNfY3JlYXRlIjoiMSlslmlzX3VwZGF0ZSI6IjEiLCJpc19kZWxldGUiOilxliwiaXNfbmV3dGFiljoiMCJ  
9LCJwYWdlX3VyaSI6IlwvZGFib3J5XC9lcnBcL21hc3Rlci1kYXRhXC9pdGVtLXRhYmJlZCIsInBhcmFfbmFtZSI6IlwvZm9  
ybVwvZm9ybS1hXC9pdGVtLXRhYmJlZCIsInRoZW1lX2Rpcil6liIsIm1haW5fYXBwX2lkIjowLCJndWVzdF9hcHBfaWQiO  
jAsImN1c3RvbV92YXliOilifQ=="

}

],

"// OrderByOptions": "OrderBy Options//☐ Value ☐ Default",

"OrderByOptions": [

{

"Value": "mx.item\_code asc",

"Caption": "☐ ☐ ☐

},

{

"Value": "mx.item\_code desc",

"Caption": "☐ ☐ ☐

}

],

"//BalanceOptions": "Show OnlyBalaceRemained or All",

"BalanceOptions": [

{

"Value": "",

"Caption": "☐ ☐

},

{

"Value": "c10 > 0",

"Caption": "☐ ☐ ☐ ☐

}

],

"DisplayVars": {

"IsListFirst" : true,

"IsExcelColumn" : false,

"InitLines" : 15,

"HeadHeight": "130",

"IsC1Popup": "1",

"BodyHeight": "680"

},

```

"// ListVars": "ListVars[0]-caption, ListVars[1]-size(px), ListVars[2]-align->right(number) left(left)",
"ListVars": [
  {
    "$Radio": "$Radio",
    "$Check": "$Check",
    "No": "☐☐",
    "C1": "☐☐☐☐",
    "C2": "☐☐",
    "C3": "☐☐☐",
    "C4": "☐☐☐☐",
    "C5": "☐☐☐",
    "C6": "☐☐☐",
    "C7": "☐☐",
    "C8": "☐☐☐☐☐☐☐",
    "C9": "☐☐☐☐☐☐☐"
  },
  {
    "$Radio": "3",
    "$Check": "3",
    "No": "5",
    "C1": "12",
    "C2": "25",
    "C3": "12",
    "C4": "8",
    "C5": "6",
    "C6": "6",
    "C7": "4",
    "C8": "8",
    "C9": "8"
  },
  {
    "$Radio": "center",
    "$Check": "center",
    "No": "center",
    "C1": "left",
    "C2": "left",
    "C3": "left",
    "C4": "left",
    "C5": "decimal('sales_prc')",
    "C6": "decimal('purch_prc')",
    "C7": "center",

```




```
"C8": "center",  
"C9": "check"  
}  
]  
}
```

“


## ListType1 配置

ListType1 配置如下。

1. 访问 /dabory/erp 页面。



2. 在 Left menu 页面 - 配置 (配置) 页面。




3. `ListType1` 的 `list` 成员函数返回一个 `ListType1` 类型的列表。

4. □□□ □ □□□ □ □□□ □□ □□□ □□□□. C5:□□□□ □□□□.


C2:분류	C3:메뉴명	C4:페이지URL	C5:파라미터명
dbr_main	Domain-Structs	/dabory/erp/list-type/struct-typ...	/setup/struct-type1/struct-input
dbr_main	Search-Domains	/dabory/erp/list-type/type1	/list/list-type1/dbr-main/search/domain-input
dbr_main	Domain-Solutions	/dabory/erp/list-type/type1	/list/list-type1/dbr-main/search/solution-input
dbr_main	관리자 계정	/dabory/erp/list-type/type1	/list/list-type1/users-input
dbr_main	슈퍼 유저 메뉴		
dbr_main	관리자 계정	/dabory/erp/list-type/type1	/list/list-type1/users-input
dbr_main	메뉴 확장과 API 관리	/dabory/erp/list-type/type1	/list/list-type1/app-api-input
dbr_main	사용자 메뉴	/dabory/erp/list-type/type1	/list/list-type1/user-menu-input
dbr_main	사용자 메뉴 권한	/dabory/erp/perm/user-perm	/form/form-b/user-menu-perm
dbr_main	사용자 확장(ERP)	/dabory/erp/list-type/type1	/list/list-type1/users-ext-input
dbr_main	회원 앱 메뉴	/dabory/erp/list-type/type1	/list/list-type1/pro/member-menu-input
dbr_main	회원 앱 권한	/dabory/erp/perm/member-perm	/form/form-b/member-menu-perm
dbr_main	회원 앱 권한	/dabory/erp/list-type/type1	/list/list-type1/pro/member-ext-input
dbr_main	Host API 등록	/dabory/erp/list-type/type1	/list/list-type1/app-api-input
dbr_main	Host API 권한 설정	/dabory/erp/perm/app-api-perm	/form/form-b/app-api-perm

5. 0000 00 0 00 000 000 ListType10 000000. 00 0 000 00000 /form/form-b/member-menu-perm000.

6. dbrerp 0000 para 0000 0000 dabory/para 000000 /list/list-type1/downupload/ 0000



7. member-menu-perm [ ] [ ] [ ] name [ ] [ ]. member-menu-perm\_new.json [ ] [ ].



```
{-} member-menu-perm_new.json
```

```
{-} member-menu-perm.json
```

8. [] weberp-queries[] [] [] []

[] [] [] [] [] [] [], [] [] [] [] C1~C20[] [] [] [] [].

```
INSERT INTO dbt_list_type1 ( created_on, list_token, id,  
    c1, c2, c3, c4,  
    c5, c6, c7, c8 )
```

```
SELECT UNIX_TIMESTAMP(), ?, id,  
    menu_code, sort_type, bgcolor_code, dash_page_url,  
    component, parameter, icon, is_enabled
```

```
FROM dbr_sort_menu as mx
```

```
-- @where | wngur6076, 2023/08/24 4:39 PM • t
```

```
-- @order
```

[] [] [] [] [] [] [] [] [] [] [] json [] [] [] [] [] [] [] [] [].

```

"ListVars": [
  {
    "$Radio": "$Radio",
    "$Check": "",
    "No": "번호",
    "C1": "메뉴코드",
    "C2": "소트구분",
    "C3": "메뉴배경색상",
    "C4": "대시보드 페이지 URL",
    "C5": "컴포넌트",
    "C6": "파라미터",
    "C7": "지정아이콘",
    "C8": "사용"
  },
  {
    "$Radio": "3",
    "$Check": "",
    "No": "6",
    "C1": "15",
    "C2": "15",
    "C3": "12",
    "C4": "17",
    "C5": "20",
    "C6": "20",
    "C7": "12",
    "C8": "8"
  },
  {
    "$Radio": "center",
    "$Check": "",
    "No": "center",
    "C1": "center",
    "C2": "center",
    "C3": "center",
    "C4": "center",
    "C5": "center",
    "C6": "center",
  }
]

```

이러한 경우 QueryName을 지정합니다.

```
{
  "General": {
    "Title": "바둑판 메뉴 불러오기",
    "PageApi": "list-type1-page",
    "ActApi": "list-type1-upload"
  },

  "QueryVars": {
    "QueryName": "download/menu/sort-menu",
    "FilterName": "",
    "FilterValue": "",
    "FilterDate": ""
  },
}
```

이러한 구조를 가진 데이터를 list에 담아 보겠습니다.

# 如何写 head/body 文件

“

## head 文件

文件 sorder head body 文件。

sorder() 文件。

### 如何写

1. 文件
2. JavaScript 文件
3. API 文件

1. 文件 sorder.json 文件。

```
{
  "General": {
    "Title": "文件",
    "PickApi": "slip-form-book",
    "ActApi": "sorder-act"
  },

  "QueryVars": {
    "QueryName": "sales/sorder"
  },
}
```



```
"HeadSelectOptions": [  
  {  
    "Value": "new",  
    "Caption": "新建",  
    "Parameter": ""  
  },  
  {  
    "Value": "save-and-new",  
    "Caption": "保存并新建",  
    "Parameter": ""  
  },  
  {  
    "Value": "copy-to-another",  
    "Caption": "复制到另一个",  
    "Parameter": "sales/sorder-sorder"  
  },  
  {  
    "Value": "copy-to-another",  
    "Caption": "复制到另一个",  
    "Parameter": "purch/pquote-sorder"  
  },  
  {  
    "Value": "copy-to-another",  
    "Caption": "复制到另一个",  
    "Parameter": "sales/squote-sorder"  
  },  
  {  
    "Value": "delete",  
    "Caption": "删除",  
    "Parameter": ""  
  }  
],
```

```
"StatusOptions": [  
  {  
    "Value": "新建",  
    "Caption": "新建"  
  },  
  {  
    "Value": "删除",
```

```
        "Caption": "□□"
    }
],

"BodySelectOptions": [
    {
        "Value": "body-copy",
        "Caption": "□□□□ □□ □□ □□(-)",
        "Parameter": "sales/sorder-sorder"
    },
    {
        "Value": "body-copy",
        "Caption": "□□□□ □□ □□ □□(-)",
        "Parameter": "sales/squote-sorder"
    },
    {
        "Value": "multi-delete",
        "Caption": "□□ □□ □□",
        "Parameter": ""
    },
    {
        "Value": "multi-update",
        "Caption": "□□ □□ □□",
        "Parameter": ""
    }
],
```

```
//FormVars: "ListVars[0]-Caption",
```

```
"FormVars": [
    {
        "SaveButton": "□□",
        "AddNewBdButton": "□□ □□",
        "AutoSlipNo": "□□□□(□□□□)*",
        "Date": "□□□□*",
        "Buyer": "□□□□*",
        "BuyerContact": "□□□□□",
        "DealType": "□□□□*",
        "VatType": "□□□□*",
        "VatTypeRate": "□□□□",
```

```

    "Status": "□□",
    "Delivery": "□□□□",
    "PayTerms": "□□□□",
    "Destination": "□□□□",
    "IsClosed": "□□",
    "SgroupName": "□□□□*",
    "UserName": "□□□□□*",
    "Remarks": "□□"
  },
  {
    "SaveButton": "left",
    "AddNewBdButton": "left",
    "AutoSlipNo": "left",
    "Date": "left",
    "Buyer": "left",
    "BuyerContact": "left",
    "DealType": "left",
    "VatType": "left",
    "VatTypeRate": "left",
    "Status": "left",
    "Delivery": "left",
    "PayTerms": "left",
    "Destination": "left",
    "IsClosed": "left",
    "SgroupName": "left",
    "UserName": "left",
    "Remarks": "left"
  },
  {
    "SaveButton": "0",
    "AddNewBdButton": "20",
    "AutoSlipNo": "20",
    "Date": "20",
    "Buyer": "20",
    "BuyerContact": "20",
    "DealType": "20",
    "VatType": "20",
    "VatTypeRate": "20",
    "Status": "20",
    "Delivery": "20",
    "PayTerms": "20",

```

```

        "Destination": "20",
        "IsClosed": "0",
        "SgroupName": "20",
        "UserName": "20",
        "Remarks": "0"
    },
    {
        "SaveButton": "",
        "AddNewBdButton": "",
        "AutoSlipNo": "required",
        "Date": "required",
        "Buyer": "required",
        "BuyerContact": "",
        "DealType": "required",
        "VatType": "required",
        "VatTypeRate": "",
        "Status": "",
        "Delivery": "",
        "PayTerms": "",
        "Destination": "",
        "IsClosed": "",
        "SgroupName": "required",
        "UserName": "required",
        "Remarks": ""
    }
],
"// ListVars": "ListVars[0]-Caption, ListVars[1]-Size(%), ListVars[2]-align",
"ListVars": [
    {
        "$Radio": "",
        "$Check": "$Check",
        "ItemCode": "□□□□*",
        "ItemName": "□□*",
        "SubName": "□□#",
        "CountUnit": "□□#",
        "SorderQty": "□□□□*",
        "SorderPrc": "□□□□*",
        "SupplyAmt": "□□□□*",
        "VatAmt": "□□*",
        "SumAmt": "□□□□*",
        "CurrSalesPrc": "□□□□#"
    }
]

```

```
"ConfirmDate": "□□□□",
"DeliDate": "□□□□*",
"Ref1": "□□1",
"Ref2": "□□2",
"SorderMemo": "□□□□(M)"
},
{
  "$Radio": "",
  "$Check": "3",
  "ItemCode": "10",
  "ItemName": "30",
  "SubName": "10",
  "CountUnit": "5",
  "SorderQty": "10",
  "SorderPrc": "10",
  "SupplyAmt": "10",
  "VatAmt": "10",
  "SumAmt": "10",
  "CurrSalesPrc": "10",
  "DeliDate": "12",
  "ConfirmDate": "12",
  "Ref1": "15",
  "Ref2": "15",
  "SorderMemo": "10"
},
{
  "$Radio": "",
  "$Check": "center",
  "ItemCode": "left",
  "ItemName": "left",
  "SubName": "left",
  "CountUnit": "center",
  "SorderQty": "decimal('sales_qty')",
  "SorderPrc": "decimal('sales_prc')",
  "SupplyAmt": "decimal('sales_amt')",
  "VatAmt": "decimal('sales_amt')",
  "SumAmt": "decimal('sales_amt')",
  "CurrSalesPrc": "decimal('sales_prc')",
  "DeliDate": "right",
  "ConfirmDate": "right",
  "Ref1": "right",
```

```
        "Ref2": "right",
        "SorderMemo": "right"
    }
],
"FooterVars": [
    {
        "StorageName": "□□",
        "BranchName": "□□□",
        "QtyTotal": "□□ □□",
        "SupplyTotal": "□□□□ □□",
        "VatTotal": "□□□□ □□",
        "SumTotal": "□□□ □□"
    }
]
}
```