


6. 1 2 3 4 5 6

- 1 2 3 4
- git 1 2 Standard/theme 3 4
- theme 1 2 .env 3 4
- 1 2 3 4 5 6
- 1 2 3 4 5 6
- Api23KeyPair 1 2 3 4
- Theme 1 2 3 4



1. 파일 생성 옵션을 선택하고, 파일 이름을 지정하고, HTTP url을 입력합니다.



2. dbrrerp 디렉토리에서 dabory 디렉토리를 생성합니다.

```
cd dabory
```

3. themes 디렉토리를 생성합니다.

```
mkdir themes
```

4. themes 디렉토리로 이동합니다.

```
cd themes
```

5. 생성된 themes 디렉토리를 HTTP url로 git clone합니다.

```
git clone http://git.daboryhost.com:10880/dbrrerp-themes/eyemsg.git
```

6. dbrrerp 디렉토리에서 themes 디렉토리를 public 디렉토리로 이동합니다.

```
cd ../../public
```

7. /themes/eyemsg/pro 디렉토리를 생성합니다.

```
mkdir -p /themes/point2u/pro
```

8. `cd /themes/point2u/pro` 命令。

```
cd themes/eyemsg/pro
```

9. `public/themes/eyemsg/pro` 目录 `dabory/themes/eyemsg/pro` 目录下的 `resources` 目录。

在 `-s` 选项下。

命令。

```
ln -s ../../../../dabory/themes/eyemsg/pro/resources resources
```

命令 `css` 目录。

git 標準/theme

:

PC (cd php)

1. cd \$HOME/docker-works/php/ : docker-works/php/
2. all-gitpp {website-alias} : all-gitpp {website-alias} Git

cdz (

1. cd /home : /home
2. all-gitpp-host {website-alias} : all-gitpp-host all-gitpp {website-alias} Git

PC

theme [] [] .env [] []


Theme [] : .env [] []

[] [] [] .env [] []

.env [] DBR_THEME, PRO_THEME [] [] [] [] [] [] [] []

([] [] [] [] [] [] [] [])

[] DBR_THEME [] [] DBR_THEME [] [] []



000000 item-details 0000 0000, 000, 00 00, 00 00 00000 0000 0000.

0010000 item-details 00000 0000 00 0000 0000 0000 0000 00000000.

Api23KeyPair

API23JS

API23JS GUEST JavaScript HOST API HOST GUEST.

HOST GUEST.

- **HOST:** opticalpos
- **GUEST:** eyemsg

HOST

1. HOST



*

2. Api23 KeyPair Encrypted

	■	N...	C1:설정이름	C2:설정코드	C3:...	C4:브랜드코드
<input type="radio"/>	<input type="checkbox"/>	99	Api23 KeyPair Encrypted	api23e-key-pair	0	
<input type="radio"/>	<input type="checkbox"/>	98	브랜딩 이미지(로고/파비콘등)	brand-image	0	common
<input type="radio"/>	<input type="checkbox"/>	97	Media-AWS-S3 설정	cdn-aws-s3	0	
<input type="radio"/>	<input type="checkbox"/>	96	컨택트폼-메인	contact-us	0	main
<input type="radio"/>	<input type="checkbox"/>	95	컨택트폼-서브1	contact-us	0	sub1
<input type="radio"/>	<input type="checkbox"/>	94	컨택트폼-메인-한글	contact-us	0	main
<input type="radio"/>	<input type="checkbox"/>	93	컨택트폼-메인-영어	contact-us	0	main
<input type="radio"/>	<input type="checkbox"/>	92	우체국택배	courier	0	epost
<input type="radio"/>	<input type="checkbox"/>	91	dbconv-default	dbconv-default	0	
<input type="radio"/>	<input type="checkbox"/>	90	소숫점 자리 설정	decimal-point	0	
<input type="radio"/>	<input type="checkbox"/>	89	휴면계정관리	dormant-default	0	
<input type="radio"/>	<input type="checkbox"/>	88	메일/문자전송 헤더푸터	email-header-footer	0	
<input type="radio"/>	<input type="checkbox"/>	87	회원가입 통보메일 템플릿-1	email-template	0	signup-confirm-1
<input type="radio"/>	<input type="checkbox"/>	86	회원탈퇴 통보 메일 템플릿-1	email-template	0	withdraw-inform-1
<input type="radio"/>	<input type="checkbox"/>	85	휴면회원 통보 메일 템플릿-1	email-template	0	dormant-inform-1

3. ①, ② Api23eKeyPair .

Api23 KeyPair Encrypted
✕

저장

Api23KeyPair

①
새 키페어 생성
②
키페어 암호화

Api23eKeyPair

BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd
📄

4. HOST(opticalpos) .env .

.env

⚙️
.env dbrerp
최근에 사용한 항목 ●

\$
.env.dabory dbrerp

4-1. command vi .env .

5. env API23E_KEY_PAIR Api23 KeyPair Encrypted Api23eKeyPair

```
IS_SKIP_DBUPDATE=9
IS_ON_MEMBER_SIGNUP=0
API23E_KEY_PAIR=BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd75YBmVQ1N4225h//xFZTiCzDj8
JI9bF9dUQFMGTytCewvjhR1ES083JmfK1ZV1DYrtrK4ZnvfbACakkK1iRA6c98vOm8Wwdp6HIzI9j6ApQTqUeHEBA7UxewBj
TJRQ==
```

6. myapp API23-Apps

7.

No	Sort*	App Type	Origin URL	API23 Key	Created	Updated
4	KingkongCRM	js	http://localhost:8000	bRHeYZUsX4j4xa7logAPMa7jwvSKnrXkyYCu1kUN1Uh...	24-11-19 19:55:22	70-01-01 09:00:00
3	KingkongCRM	js	https://eyemsg.daboryhost.com	Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ5C3PCU...	24-11-19 19:47:23	70-01-01 09:00:00
2	KingkongCRM	js	http://localhost:3000	GARpXDb6kDP76r4j95TlsZ9Ca96HV6mJGPMxCTKyp...	24-11-14 16:21:16	70-01-01 09:00:00
1	KingkongCRM	js	https://p2u.daboryhost.com	AUpvDqSFbyQ+AE47AY10j4Klql+JThQXgCddoLswmC...	24-11-14 16:04:58	70-01-01 09:00:00

8. SSO App Api23 Keys

SSO App input/Update/Delete

App Type*: js

Sort*: KingkongCRM

OriginUrl: https://eyemsg.daboryhost.com

Generate New Api23 Keys

Api23Key: Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ5C3PCUuPK0oRxAVAcIS5/I6Zs4cO1Czr8DDr2LNw

App Type : App js

Sort : CRM KingkongCrm

OriginUrl : geust url

9. Generate New Api23 Keys (HOST Api)

10. Save

GUEST

1. HOST API23eKeyPair HOST GUEST

* 'api23key' 'API23eKeyPair'

```
IS_SKIP_DBUPDATE=9
IS_ON_MEMBER_SIGNUP=0
API23E_KEY_PAIR=BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd75YBmVQ1N4225h//xFZTiCzDj8JI9bF9dUQFMGTytCewvjhR
```

2. GUEST FrontEnd(dbrerp) HOST API view

eyemsg right.blade.php script

```
<script src="/js/dabory.data-linker.js?serverUrl=https://opticalpos.daboryhost.com&api23Key=Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ5C3PCUuPK0oRxAVAcIS5/I6Zs4cO1Czr8DDr2LNw/ujpwmzibLTYvsH54ThO5IVLs8ifHIIIF0fenDeHGL1R6Tuv+KJMQGQGt//HhRLrNKRYrXsx2wN1ZSutPrpkvEQLC+DE/O0xPxYqBXqM80EaRJ+K1qrTQFkVKMwcTEv"></script>
```

script src dabory.data-linker.js ServerUrl HOST opticalpos url HOST Api23Key
* dabory.data-linker.js GUEST HOST

dabory.data-linker.js

```
<script src="/js/dabory.data-linker.js?serverUrl=https://opticalpos.daboryhost.com&api23Key=Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ5C3PCUuPK0oRxAVAcIS5/I6Zs4cO1Czr8DDr2LNw/ujpwmzibLTYvsH54ThO5IVLs8ifHIIIF0fenDeHGL1R6Tuv+KJMQGQGt//HhRLrNKRYrXsx2wN1ZSutPrpkvEQLC+DE/O0xPxYqBXqM80EaRJ+K1qrTQFkVKMwcTEv"></script>
<script>
  $('#open-signup-popup').on('click', function () {
```


		
composable.com	 compos_able.com	domain
myaccount.com	 my_account.com	domain