

Api23KeyPair

API23JS?


API23JS GUEST JavaSc HOST APIHOST
GUEST.

HOST.

- **HOST:** opticalpos
- **GUEST:** eyemsg

HOST

1. HOST



*

2. Api23 KeyPair Encrypted

	■	N...	C1:설정이름	C2:설정코드	C3:...	C4:브랜드코드
<input type="radio"/>	<input type="checkbox"/>	99	Api23 KeyPair Encrypted	api23e-key-pair	0	
<input type="radio"/>	<input type="checkbox"/>	98	브랜딩 이미지(로고/파비콘등)	brand-image	0	common
<input type="radio"/>	<input type="checkbox"/>	97	Media-AWS-S3 설정	cdn-aws-s3	0	
<input type="radio"/>	<input type="checkbox"/>	96	컨택트폼-메인	contact-us	0	main
<input type="radio"/>	<input type="checkbox"/>	95	컨택트폼-서브1	contact-us	0	sub1
<input type="radio"/>	<input type="checkbox"/>	94	컨택트폼-메인-한글	contact-us	0	main
<input type="radio"/>	<input type="checkbox"/>	93	컨택트폼-메인-영어	contact-us	0	main
<input type="radio"/>	<input type="checkbox"/>	92	우체국택배	courier	0	epost
<input type="radio"/>	<input type="checkbox"/>	91	dbconv-default	dbconv-default	0	
<input type="radio"/>	<input type="checkbox"/>	90	소숫점 자리 설정	decimal-point	0	
<input type="radio"/>	<input type="checkbox"/>	89	휴면계정관리	dormant-default	0	
<input type="radio"/>	<input type="checkbox"/>	88	메일/문자전송 헤더푸터	email-header-footer	0	
<input type="radio"/>	<input type="checkbox"/>	87	회원가입 통보메일 템플릿-1	email-template	0	signup-confirm-1
<input type="radio"/>	<input type="checkbox"/>	86	회원탈퇴 통보 메일 템플릿-1	email-template	0	withdraw-inform-1
<input type="radio"/>	<input type="checkbox"/>	85	휴면회원 통보 메일 템플릿-1	email-template	0	dormant-inform-1

3. ①, ② ☐ ☐ ☐ ☐ Api23eKeyPair ☐ ☐.

Api23 KeyPair Encrypted

저장

①

②

Api23KeyPair

새 키페어 생성

키페어 암호화

Api23eKeyPair

BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd73y

4. ☐ ☐ ☐ HOST(☐ ☐ opticalpos) ☐ .env ☐ ☐.

```

.env
.env dbrerp
.env.dabory dbrerp

```

최근에 사용한 항목

4-1. ☐ command ☐ vi ☐ ☐ ☐ .env ☐ ☐.

5. env API23E_KEY_PAIR Api23 KeyPair Encrypted Api23eKeyPair

```
IS_SKIP_DBUPDATE=9
IS_ON_MEMBER_STGUP=0
API23E_KEY_PAIR=BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd75YBmVQ1N4225h//xFZTiCzDj8
JI9bF9dUQFMGTytEwvjhR1ES083JmfK1ZV1DYrtRK4ZnvfbACakkcK1iRA6c98vOm8Wwdp6HIzI9j6ApQTqUeHEBA7UxewBj
TJRQ==
```

6. myapp API23-Apps

7.

①

②

③

No	Sort*	App Type	Origin URL	API23 Key	Created	Updated
4	KingkongCRM	js	http://localhost:8000	bRHeYZUsX4j4xa7logAPMaA7jwwSKnrXkyYCu1kUN1Uh...	24-11-19 19:55:22	70-01-01 09:00:00
3	KingkongCRM	js	https://eyemsg.daboryhost.com	Nx4QebHKTsjDuP0AKude0IMZWnak0O0hb1SJ5C3PCU...	24-11-19 19:47:23	70-01-01 09:00:00
2	KingkongCRM	js	http://localhost:3000	GARpXDb6kdDP76r4j95TlsZ9Ca96HV6mJGPOmxcTKyp...	24-11-14 16:21:16	70-01-01 09:00:00
1	KingkongCRM	js	https://p2u.daboryhost.com	AUpvDqSFbyQ+AE47AY10j4KiqI+JThQXgCddoLswmC...	24-11-14 16:04:58	70-01-01 09:00:00

8. SSO App Api23 Keys

SSO App input/Update/Delete

③ Save

①

App Type*
js

Sort*
KingkongCRM

OriginUrl
https://eyemsg.daboryhost.com

②

Generate New Api23 Keys

Api23Key
Nx4QebHKTsjDuP0AKude0IMZWnak0O0hb1SJ5C3PCUuPK0oRxAVAcIS5/I6Zs4cO1Czr8DDrR2LNw

App Type : App js

Sort : 00 000 000 00000. CRM 0 0000 00 000 00 CRM KingkongCrm 000000.

OriginUrl : geust 000 url 00000.

9. Generate New Api23 Keys **Api23Key** 0000 (000 HOST **Api** 0000 000 00000.)

10. Save 000 000 000 000 000 00000.

GUEST 0000

1. **HOST** 0 **API23eKeyPair** 00 HOST 0000 **GUES** 000000000 000000.

* 'api23key' 00 000 'API23eKeyPair' 00 000000.

```
IS_SKIP_DBUPDATE=9
IS_ON_MEMBER_SIGNUP=0
API23E_KEY_PAIR=BOPHxRwDHu2XxsmYDrr/gXY9NwvRt6ZLA2wH81eKYFZLuNRQ4BM9Zrd75YBmVQ1N4225h//xFZTiCzDj8JI9bF9dUQFMGTytEcEwvjhR
```

2. **GUEST** 0000 FrontEnd(dbrerp) 00 HOST **API** 00000 view 0000 00000.

00000 eyemsg 00 right.blade.php 000 000 00 script 0000000.

```
<script src="/js/dabory.data-linker.js?serverUrl=https://opticalpos.daboryhost.com&api23Key=Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ5C3PCUuPK0oRxAVAcIS5/I6Zs4cO1Czr8DDr2LNw/uJpwmzibLTYvsH54ThO5IVLs8ifHIIF0fenDeHGL1R6Tuv+KJMQGQGt//HhRLrNKRYrXsx2wN1ZSutPrpkvEQLC+DE/O0xPxYqBXqM80EaRJ+K1qrTQFkVKMwcTEv"></script>
```

0 script 00 src 0000 dabory.data-linker.js 00 ServerUrl 00 HOST 0000 opticalpos url 00 **api23Key** 0000
* dabory.data-linker.js 00 **GUEST** 000 HOST 000 0 000 000 000 000 00000.

dabory.data-linker.js 0000

```
<script src="/js/dabory.data-linker.js?serverUrl=https://opticalpos.daboryhost.com&api23Key=Nx4QebHKTssjDuP0AKude0IMZWnak0O0hb1SJ5C3PCUuPK0oRxAVAcIS5/I6Zs4cO1Czr8DDr2LNw/uJpwmzibLTYvsH54ThO5IVLs8ifHIIF0fenDeHGL1R6Tuv+KJMQGQGt//HhRLrNKRYrXsx2wN1ZSutPrpkvEQLC+DE/O0xPxYqBXqM80EaRJ+K1qrTQFkVKMwcTEv"></script>
<script>
    $('#open-signup-popup').on('click', function () {
```

```

if (! window.passwdPolicy) {
    $.fn.dataLinker.api23Js('setup-get', {
        'SetupCode': 'passwd-policy',
        'BrandCode': 'member'
    }, function (response) {
        window.passwdPolicy = response
        $('#policy-desc-em').text(window.passwdPolicy['PolicyDesc'])
        // console.log(window.passwdPolicy)
        $('#join').modal('show');
    })
} else {
    $('#join').modal('show');
}
});
</script>

```

1. 1. :

- dabory.data-linker.js 调用 serverUrl 调用 api23Key 调用 API 调用 调用 调用 调用 调用.

5. 5. :

- window.passwdPolicy 调用 dabory.data-linker.js 调用 api23Js 调用 setup-get HOST API 调用.
- 调用 (SetupCode 调用 BrandCode) 调用 GUEST 调用 API 调用 调用 调用 调用 调用.

调用 API23JS 调用 HOST 调用 GUEST 调用 调用 调用 调用 调用.

- **HOST 调用 API23E_KEY_PAIR 调用 API23_KEY_HOST 调用.**
- **GUEST 调用 API23_KEY 调用 HOST API 调用.**
调用 调用 HOST API 调用 GUEST 调用 调用 调用 调用.

Revision #5

Created 21 November 2024 00:45:58 by 调用

Updated 25 November 2024 00:33:14 by 调用