

.env

“

.env



Laravel .env (<https://laravel.kr/docs/5.7/configuration>)

Laravel .env Example(https://zetawiki.com/wiki/.env,_env.example)

```
# [Dabory]
ERP_THEMES= ( )
LOCALE_SEQUENCE=
APP_MOBILE_NO=
TAG_LINE=
CDN_TYPE= CDN (aws-s3 or local)
MEDIA_URL= base url (local or a3)
FAVICON_PATH= path
IS_SKIP_DBUPDATE=DBUPDATE or
IS_ON_MEMBER_SIGNUP=

## [MetaMask]
CHAIN_ID=0xE67B
CHAIN_NAME='Dang Smart Chain'
RPC_URLS=http://3.38.62.211:8545
NATIVE_CURRENCY_NAME=DGT
NATIVE_CURRENCY_SYMBOL=DGT
NATIVE_CURRENCY_DECIMALS=18
BLOCK_EXPLORER_URLS=https://explorer-staging.dangnn.co.kr

# [Strong Api]
STRGO_API_URL= strong api .

### [asset & cache]
BROWSER_CACHE= (false)
```

CSSJS_URL=local or asset url (local)

[Printer]

REPORT_SERVER_URL= base url

[Laravel]

APP_NAME=

APP_ENV=.env

APP_KEY=base64:.env

APP_DEBUG=.env

APP_URL=url

LOG_CHANNEL=stack

LOG_LEVEL=debug

DB_CONNECTION=x

DB_HOST=x

DB_PORT=x

DB_DATABASE=x

DB_USERNAME=x

DB_PASSWORD=x

BROADCAST_DRIVER=x

CACHE_DRIVER=x

FILESYSTEM_DRIVER=x

QUEUE_CONNECTION=x

SESSION_DRIVER=x

SESSION_LIFETIME=x

MEMCACHED_HOST=x

REDIS_HOST=x

REDIS_PASSWORD=x

REDIS_PORT=x

MAIL_MAILER=.env

MAIL_HOST=.env

MAIL_PORT=.env

MAIL_USERNAME=.env

MAIL_PASSWORD=.env

MAIL_ENCRYPTION=.env

MAIL_FROM_ADDRESS=.env

MAIL_FROM_NAME=.env

AWS_ACCESS_KEY_ID=.env

AWS_SECRET_ACCESS_KEY=.env

AWS_DEFAULT_REGION=.env

AWS_BUCKET=.env

AWS_USE_PATH_STYLE_ENDPOINT=.env

PUSHER_APP_ID=xx
PUSHER_APP_KEY=xx
PUSHER_APP_SECRET=xx
PUSHER_APP_CLUSTER=xx

MIX_PUSHER_APP_KEY=xx
MIX_PUSHER_APP_CLUSTER=xx

ANALYTICS_UA_ID=
ANALYTICS_VIEW_ID=

ANALYTICS_G_ID=
ANALYTICS_PROPERTY_ID=

Revision #8

Created 26 February 2024 09:31:00 by Admin

Updated 18 February 2025 07:13:52 by xx