

Ownerkey 三三三

“

Ownerkey三?

三三三 main app三 guest app三 三三三. ownerKey三 三三三 host app三 guest app三 api 三三 三三三三.

“

OwnerKey 三三 三三

main app : 三 A

guest app : 三 B

三 B三 三 A三 api三 三三 三 三三三.


1. 三 B三 三三三三 三三 三 A三 三三三三三 三三三三.
2. 三 B三 三三三 三三三三 三 A三 三三三三三 三三三三. (三三三三三 三 A三 DB三 三三 三)
3. 三 A三 三三 三三三三 三 B三 三三三三三 三三三三. (三三三三三 三 A三 DB三 三三 三)

“


OwnerKey 三三三

Ownerkey三 三三三 三三三 guest app三 三三三 OwnerKey三 三三三三 三三.

1. main app三 三三 dabory 三三三 三三三三三.
2. guest app 三三 三三 My App 三三 三三三三.




3. App Manager에 접속합니다.



4. app의 Owner key를 app에 등록합니다.

<input type="checkbox"/>	No	App Name*	App Type	Client Id	Redirect URI	Created	Updated
<input type="checkbox"/>	1	api_test			https://www.daborysso.com	24-04-11 16:42:18	70-01-01 09:00:00

5. GuestApp을 생성합니다.



6. app의 client id를 등록합니다.

Generating GuestApp Ownery Key

Guest App Name* (ex:credit-strong-api-app)

OwnerCode*

owner

▼

AppType* (web, js, native-app)

web

▼

□ Guest App Name : Owner Key□ □□

□ OwnerCode : Owner Key□ □□□□

- owner : □□ api □□
- keypair :
- dbupdate :
- limited : □□ api□ □□

□ AppType : guest app□ type

7. Download .owner-key □□□ □□□□ Owner key□ download □□□.

8. MainApp □□ □□□ save □□□□□ □□□□□.

9. □□□ .owner-key□ □□□□ frontend □□□□□ open□□□□.

10. .env □□□ MAIN_API_OWNER_KEY □□□ □□□□ □□□ owner key□ □□ □□□□□.